# GOV.UK

Check MOT history (https://www.gov.uk/check-mot-history)

#### LN55YNM

## **VOLKSWAGEN SHARAN**

Colour

Fuel type

Date registered

Silver

Diesel

1 September 2005

MOT valid until

28 July 2020

#### **MOT history**

Check mileage recorded at test, MOT expiry date, defects and advisories, and view test certificate

Date tested

Mileage

MOT test number

26 July 2019

328,587 miles

8040 3440 9415

PASS

Test location

Expiry date

28 July 2020

Date tested 19 July 2018

**PASS** 

Mileage

281,349 miles

MOT test number

1153 3255 6078

Test location

Expiry date

28 July 2019

Repair as soon as possible (minor defects):

Offside Front Brake hose slightly chafed (1.1.12
 (b) (i))

Monitor and repair if necessary (advisories):

- engine oil leak
- Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

## The MOT test changed on 20 May 2018

Defects are now categorised according to their severity – dangerous, major, and minor.

Date tested 28 July 2017

PASS

Mileage

245,379 miles

Test location

MOT test number **6758 0831 5623** 

Expiry date

28 July 2018

Date tested
27 July 2017
FAIL

Mileage

245,266 miles

MOT test number **1599 7552 3435** 

Test location

Reason(s) for failure

Nearside Front Road wheel cracked (4.2.A.1a)
 Dangerous

 Nearside Front Tyre tread depth below requirements of 1.6mm (4,1.E.1)

- Nearside Front Upper Anti-roll bar linkage ball joint dust cover excessively damaged so that it no longer prevents the ingress of dirt (2.4.G.2)
- Nearside Front Macpherson strut has excessive movement at the upper attachment (2.5.A.1c)
- Nearside Front Subframe mounting prescribed area is excessively corroded (2.4.A.3)
- Offside Front Subframe mounting prescribed area is excessively corroded (2.4.A.3)

Date tested 27 July 2016 PASS

Mileage

198,426 miles

MOT test number

9075 3524 8502

Test location

Expiry date **28 July 2017** 

Advisory notice item(s)

 Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a) Date tested
26 July 2016

FAIL

Mileage 198,421 miles MOT test number **5993 7993 4426** 

Test location

Reason(s) for failure

- Nearside Rear Brake hose ferrule excessively corroded inner (3.6.B.4e)
- Offside Rear Brake hose ferrule excessively corroded inner (3.6.B.4e)
- Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Nearside Front Lower Ball joint dust cover excessively deteriorated so that it no longer prevents the ingress of dirt (2.2.C.1c)

Advisory notice item(s)

- Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)
- Offside Front side light dull
- Offside Front Tyre worn close to the legal limit (4.1.E.1)
- Nearside Front Tyre worn close to the legal limit (4.1.E.1)

Date tested **27 July 2015** 

**PASS** 

Mileage

175,808 miles

MOT test number

6597 5800 5265

Test location

Expiry date

28 July 2016

Date tested
29 July 2014

**PASS** 

Mileage

168,127 miles

MOT test number

7657 7061 4289

Test location

Expiry date 28 July 2015

Advisory notice item(s)

 Offside Front Brake pipe slightly corroded (3.6.B.2c)

- Offside Front constant velocity joint gaiter deteriorated, but preventing the ingress of dirt (2.5.C.1a)
- Nearside Front Tyre worn close to the legal limit (4.1.E.1)
- Offside Rear Seat belt damaged but not affecting the operation of the belt (5.2.2a)

Date tested
24 July 2014

FAIL

Mileage

MOT test number

168,127 miles

1782 2520 4229

Test location

#### Reason(s) for failure

- Offside Headlamp aim too low (1.8)
- Offside Front position lamp(s) not working (1.1.A.3b)
- Nearside Rear Brake pipe excessively corroded (3.6.B.2c)
- Offside Rear Brake pipe excessively corroded (3.6.B.2c)

## Advisory notice item(s)

- Offside Front Brake pipe slightly corroded (3.6.B.2c)
- Offside Front constant velocity joint gaiter deteriorated, but preventing the ingress of dirt (2.5.C.1a)
- Nearside Front Tyre worn close to the legal limit (4.1.E.1)

Date tested
3 September 2013
PASS

Mileage

MOT test number

158,974 miles

1951 9644 3251

Test location

Expiry date

2 September 2014

#### Advisory notice item(s)

- Nearside Front Tyre worn close to the legal limit (4.1.E.1)
- Offside Front Tyre worn close to the legal limit (4.1.E.1)

- Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)
- Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)
- Nearside Front Suspension arm has slight play in a ball joint (2.4.G.2)

Date tested
18 July 2012
PASS

Mileage 142,813 miles MOT test number **5083 8090 2265** 

Test location

Expiry date 28 July 2013

Date tested
17 July 2012
FAIL

Mileage 142,806 miles MOT test number **6365 3989 2131** 

Test location

#### Reason(s) for failure

- Offside Front Headlamp aim beam image obviously incorrect (1.8.A.1b)
- Offside Front Lower Suspension arm ball joint dust cover excessively damaged so that it no longer prevents the ingress of dirt (2.4.G.2)
- Nearside Front Lower Suspension arm ball joint dust cover excessively damaged so that it no longer prevents the ingress of dirt (2.4.G.2)
- Nearside Front Track rod end ball joint dust cover excessively damaged so that it no longer prevents the ingress of dirt (2.2.C.1c)

### Advisory notice item(s)

- Tyre worn close to the legal limit (4.1.E.1)
- nearside rear tyre inner edge wearing uneven to the rest of the tyre

Date tested
21 July 2011
PASS

Mileage
115,313 miles

MOT test number **3557 6250 1417** 

Test location

Expiry date **28 July 2012** 

Date tested
20 July 2010
DACC

Mileage **72,878 miles** 

MOT test number **8605 9170 0297** 

**PASS** 

Test location

Expiry date 28 July 2011

Date tested
9 July 2009

Mileage **56,158 miles** 

MOT test number **7913 2089 9161** 

**PASS** 

Test location

Expiry date 28 July 2010

Date tested 29 July 2008 PASS

Mileage **30,858 miles** 

MOT test number **8547 8121 8282** 

Test location

Expiry date 28 July 2009

## Outstanding vehicle recalls

Check if VOLKSWAGEN SHARAN LN55YNM has outstanding recalls