# GOV.UK Check MOT history

This is a new service – <u>Complete a quick survey (https://www.smartsurvey.co.uk/s/GIZZX?</u> <u>vrm=MK12YWA&make\_result=FORD&model\_result=MONDEO&mot\_first\_used\_date=2012-03-</u> <u>05&vehicle\_age=4057&mot\_expiry\_date=2024-03-</u> <u>01&mot\_expiry\_date\_days\_left=322&user\_satisfaction\_banner=0&vehicle\_data\_origin=MTS&vehicle\_type=LGV</u>) to help us improve.

< <u>Back</u>

# MKI2 YWA FORD MONDEO

Check another vehicle (/)

Colour Black

Fuel type **Diesel** 

Date registered

5 March 2012

MOT valid until

## 1 March 2024

Get an MOT reminder (https://www.gov.uk/mot-reminder) by email or text.

Download test certificates (/enter-v5c?registration=MK12YWA)

If you think the MOT expiry date or any of the vehicle details are wrong: <u>contact DVSA</u> (<u>https://www.gov.uk/getting-an-mot/correcting-mot-certificate-mistakes</u>).

Show all sections

## **MOT** history

Check mileage recorded at test, expiry date, and test outcome

Date tested 1 March 2023



331,157 miles

**Test location** 

#### View test location

MOT test number 5351 4508 7477

Expiry date **1 March 2024** Monitor and repair if necessary (advisories):

- Tyre worn close to legal limit/worn on edge Fronts wearing on shoulders (5.2.3 (e))
- Offside Rear Road wheel slightly distorted (5.2.2 (c) (i))

What are advisories?

Date tested 28 February 2023

FAIL

Mileage 330,978 miles

Test location

View test location

MOT test number 8039 0813 3126

Repair immediately (major defects):

- Offside Front Suspension arm ball joint excessively worn (5.3.4 (a) (i))
- Nearside Front Shock absorbers has a serious fluid leak (5.3.2 (b))

Monitor and repair if necessary (advisories):

- Offside Rear Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))
- Gearbox oil leak
- Front Exhaust has a minor leak of exhaust gases (6.1.2 (a))
- Tyre worn close to legal limit/worn on edge Fronts wearing on shoulders (5.2.3 (e))
- Offside Rear Road wheel slightly distorted (5.2.2 (c) (i))
- What are defects and advisories?

Date tested 24 February 2022



Mileage 301,681 miles

**Test location** 

View test location

MOT test number 6073 9430 7029

Expiry date 1 March 2023

Date tested

### 24 February 2022



Mileage 301,681 miles

**Test location** 

View test location

MOT test number **1245 2500 9682** 

Repair immediately (major defects):

 Nearside Front Anti-roll bar linkage ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))

What are defects?

Date tested 1 March 2021

PASS

Mileage 276,445 miles

**Test location** 

View test location

MOT test number 1998 1011 6730

Expiry date 1 March 2022

Monitor and repair if necessary (advisories):

- Oil leak, but not excessive (8.4.1 (a) (i))
- Nearside Front Road wheel slightly distorted (5.2.2 (c) (i))
- Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Offside Front Tyre worn close to legal limit/worn on edge 2354518 (5.2.3 (e))

What are advisories?

Date tested 27 February 2021

**FAIL** Mileage

276,381 miles

**Test location** 

View test location

MOT test number 7235 4000 1783

Repair immediately (major defects):

- Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii))
- Exhaust emissions exceed default limit of 1.5m-1 (8.2.2.2 (b))

Monitor and repair if necessary (advisories):

- Oil leak, but not excessive (8.4.1 (a) (i))
- Nearside Front Road wheel slightly distorted (5.2.2 (c) (i))
- Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Offside Front Tyre worn close to legal limit/worn on edge 2354518 (5.2.3 (e))

What are defects and advisories?

Date tested **28 February 2020** 

PASS

Mileage 254,240 miles

Test location

View test location

MOT test number 9587 9422 2471

Expiry date 1 March 2021

Monitor and repair if necessary (advisories): • Offside Front Brake pad(s) wearing thin (1.1.13 (a) (ii))

What are advisories?

Date tested 28 February 2020

**FAIL** Mileage

254,240 miles

**Test location** 

View test location

MOT test number 5851 3999 5435

Repair immediately (major defects):

• Offside Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))

Monitor and repair if necessary (advisories):

- Offside Front Brake pad(s) wearing thin (1.1.13 (a) (ii))
- What are defects and advisories?